



COMPOSITE DECKING







STANDARD BOARD






35mm x 6G STAINLESS SCREW





STANDARD FIXING CLIP








STARTING / FINISHING CLIP




BREAKER BOARD CLIP



ANTI WALKING CLIP





60mm x 25m MEMBRANE PROTECTOR



ACCESSORY SCHEDULE

Detail Number
A0.1
Version
[v1]







STARTING CLIP
DETAIL

SCALE 1:2

Detail Number _____
Version _____
[v1.0]

GENERAL NOTE
- JOIST ARE LAID AT MAX. 450mm CENTERS.
- ADDITIONAL JOISTS WHERE BREAKER BOARDS ARE USED.

COMPOSITE DECKING



FINISHING CLIP DETAIL



SCALE 1:2

Detail Number _____
Version _____
[v1.0]

GENERAL NOTE
- JOIST ARE LAID AT MAX. 450mm CENTERS.
- ADDITIONAL JOISTS WHERE BREAKER BOARDS ARE USED.



COMPOSITE DECKING



BREAKER BOARD CLIP DETAIL



SCALE 1:2

Detail Number _____
Version _____
[v1.0]

GENERAL NOTE
- JOIST ARE LAID AT MAX. 450mm CENTERS.
- ADDITIONAL JOISTS WHERE BREAKER BOARDS
ARE USED.



COMPOSITE DECKING



ANTI WALKING CLIP DETAIL

SCALE 1:2

Detail Number _____

Version _____



[v1.0]

GENERAL NOTE

- JOIST ARE LAID AT MAX. 450mm CENTERS.
- ADDITIONAL JOISTS WHERE BREAKER BOARDS ARE USED.



COMPOSITE DECKING



SEPARATE STANDARD DECK CLIPS ON DOUBLE JOIST DETAIL

SCALE 1:2

Detail Number _____
Version _____
5.0
[v1.0]

GENERAL NOTE
- JOIST ARE LAID AT MAX. 450mm CENTERS.
- ADDITIONAL JOISTS WHERE BREAKER BOARDS
ARE USED.

